

Author Index

- Abdallah, E.A.M., Forray, C. and El-Fakahany, E.E., Relationship between the partial inhibition of muscarinic receptor-mediated phosphoinositide hydrolysis by phorbol esters and tetrodotoxin in rat cerebral cortex, 1
- Abood, M.E., Eberwine, J.H., Erdelyi, E. and Evans, C.J., Regulation of both preproenkephalin mRNA and its derived opioids by haloperidol — a method for measurement of peptides and mRNA in the same tissue extract, 243
- Abraham, W.C., see Jefferey, K.H., 267
- Andrews, G., see Voogt, J.L., 55
- Angeretti, N., see Bendotti, C., 343
- Anglister, L., see Eichler, J., 213
- Arbogast, L.A., see Voogt, J.L., 55
- Baird, J.G., see Lambert, D.G., 263
- Baker, H., see Stone, D.N., 291
- Barnard, E.A., see Fraser, S.P., 331
- Batley, J., see Hara, Y., 319
- Beaulieu, C., see Jia, W., 311
- Beckstead, R.M., see Somers, D.L., 143
- Bendotti, C., Servadio, A., Forloni, G., Angeretti, N. and Samanin, R., Increased tryptophan hydroxylase mRNA in raphe serotonergic neurons spared by 5,7-dihydroxytryptamine, 343
- Benowitz, L.I., Rodriguez, W.R. and Neve, R.L., The pattern of GAP-43 immunostaining changes in the rat hippocampal formation during reactive synaptogenesis, 17
- Berry, R.W., see Redman, R.S., 99
- Beyreuther, K., see Malherbe, P., 199
- Blake, M.J., Nowak Jr., T.S. and Holbrook, N.J., In vivo hyperthermia induces expression of HSP70 mRNA in brain regions controlling the neuroendocrine response to stress, 89
- Blasquez, C., see Bunel, D.T., 167
- Bohler Jr., H.C.L., Zoeller, R.T., King, J.C., Rubin, B.S., Weber, R. and Merriam, G.R., Corticotropin releasing hormone mRNA is elevated on the afternoon of proestrus in the parvocellular paraventricular nuclei of the female rat, 259
- Bond, R.W., see Wyborski, R.J., 193
- Bunel, D.T., Delbende, C., Blasquez, C., Jegou, S. and Vaudry, H., Effects of ions and ionic channel activators or blockers on release of α -MSH from perfused rat hypothalamic slices, 167
- Burgoyne, R.D., see Cambray-Deakin, M.A., 77
- Burke, W., see Coker III, G.T., 93
- Calas, A., see Trembleau, A., 37
- Cambray-Deakin, M.A. and Burgoyne, R.D., The non-tyrosinated Ma4a-tubulin gene product is post-translationally tyrosinated in adult rat cerebellum, 77
- Chastrette, N., see McCabe, J.T., 325
- Cho, W.K., see Lee, B.J., 185
- Christakos, S., see Iacopino, A.M., 283
- Chuang, D.-M., see Duchemin, A.-M., 235
- Coker III, G.T., Studelska, D., Harmon, S., Burke, W. and O'Malley, K.L., Analysis of tyrosine hydroxylase and insulin transcripts in human neuroendocrine tissues, 93
- Crawford, M.L.A. and Young, J.M., Ca^{2+} -dependence provides evidence for differing mechanisms of GABA-induced inositol phosphate formation and GABA potentiation of inositol phosphate formation induced by noradrenaline in rat cerebral cortex, 181
- Cray, C., Keane, R.W., Malek, T.R. and Levy, R.B., Regulation and selective expression of Ly-6A/E, a lymphocyte activation molecule, in the central nervous system, 9
- Cynader, M.S., see Jia, W., 311
- Darlington, M.G., see Fraser, S.P., 331
- Day, M., see Mack, K., 177
- Delbende, C., see Bunel, D.T., 167
- Djamgoz, M.B.A., see Fraser, S.P., 331
- Dragunow, M., see Jefferey, K.J., 267
- Draguhn, A., see Malherbe, P., 199
- Duchemin, A.-M., Quach, T.T., Schrier, B.K., Chuang, D.-M. and Wyatt, R.J., Expression of neurotrophic activity in *Xenopus* oocytes injected with mRNA from wounded rat cerebral cortex, 235
- Eberwine, J.H., see Abood, M.E., 243
- Eichler, J., Silman, I., Gentry, M.K. and Anglister, L., Immunocytochemical localization of phosphatidylinositol-anchored acetylcholinesterase in excitable membranes of *Torpedo ocellata*, 213
- El-Fakahany, E.E., see Abdallah, E.A.M., 1
- Erdelyi, E., see Abood, M.E., 243
- Evans, C.J., see Abood, M.E., 243
- Fader, D. and Lewis, E.J., Interaction of cyclic AMP and cell-cell contact in the control of tyrosine hydroxylase RNA, 25
- Fitzgerald, L.W., see Ratty, A.K., 355
- Forloni, G., see Bendotti, C., 343
- Forray, C., see Abdallah, E.A.M., 1
- Fraser, S.P., Djamgoz, M.B.A., Usherwood, P.N.R., O'Brien, J., Darlington, M.G. and Barnard, E.A., Amino acid receptors from insect muscle: electrophysiological characterization in *Xenopus* oocytes following expression by injection of mRNA, 331
- Fèvre-Montange, M., see Trembleau, A., 37
- Gainer, H., see Hara, Y., 319
- Ganten, D., see McCabe, J.T., 325
- Gentry, M.K., see Eichler, J., 213
- Giros, B., see Llorens-Cortes, C., 227
- Glick, S.D., see Ratty, A.K., 355
- Gottlieb, D.E., see Mack, K., 177
- Gottlieb, D.I., see Wyborski, R.J., 193
- Grasso, A., see Umbach, J.A., 31
- Gross, K.W., see Ratty, A.K., 355
- Gubits, R.M., Wollack, J.B., Yu, H. and Liu, W.-K., Activation of adenosine receptors induces *c-fos*, but not *c-jun*, expression in neuron-glia hybrids and fibroblasts, 275
- Gundersen, C.B., see Umbach, J.A., 31
- Hall, A.K., Hempstead, J. and Morgan, J.I., Thymosin 10 levels in developing human brain and its regulation by retinoic acid in the HTB-10 neuroblastoma, 129
- Hara, Y., Batley, J. and Gainer, H., Structure of mouse vasopressin and oxytocin genes, 319
- Harmon, S., see Coker III, G.T., 93
- Harry, J., see Stahl, N., 209
- Hart, R.P., see Walker, P.D., 113
- Hempstead, J., see Hall, A.K., 129
- Hicks, K.J., see Hisanaga, K., 69
- Hisanaga, K., Sagar, S.M., Hicks, K.J., Swanson, R.A. and Sharp, F.R., *c-fos* proto-oncogene expression in astrocytes associated with differentiation or proliferation but not depolarization, 69
- Holbrook, N.J., see Blake, M.J., 89
- Hong, J.S., see Li, S.J., 219
- Howells, R.D., see Lauber, A.H., 47
- Huang, F.L., see Jia, W., 311
- Hudson, P.M., see Li, S.J., 219
- Hänze, J., see McCabe, J.T., 325
- Iacopino, A.M., Rhoten, W.B. and Christakos, S., Calcium binding protein (calbindin- D_{28k}) gene expression in the developing and aging mouse cerebellum, 283
- Jacobowitz, D.M., see Sutin, E.L., 63
- Jefferey, K.J., Abraham, W.C., Dragunow, M. and Mason, S.E., Induction of Fos-like immunoreactivity and the maintenance of long-term potentiation in the dentate gyrus of unanesthetized rats, 267
- Jegou, S., see Bunel, D.T., 167
- Jia, W., Beaulieu, C., Huang, F.L. and Cynader, M.S., Cellular and subcellular localization of protein kinase C in cat visual cortex, 311
- Jiang, H.K., see Li, S.J., 219
- Joh, T.H., see Kang, U.J., 83
- Joh, T.H., see Stone, D.N., 291
- Jonakait, G.M., see Walker, P.D., 113
- Kang, U.J. and Joh, T.H., Deduced amino acid sequence of bovine aromatic L-amino acid decarboxylase: homology to other decarboxylase, 83
- Keane, R.W., see Cray, C., 9
- Kikuchi, A., see Yamamoto, J., 105
- Kilbourne, E.J. and Sabban, E.L., Differ-

- ential effect of membrane depolarization on levels of tyrosine hydroxylase and dopamine β -hydroxylase mRNAs in PC12 pheochromocytoma cells, 121
- Kim, K., see Lee, B.J., 185
- King, J.C., see Bohler Jr., H.C.L., 259
- Lambert, D.G., Whitham, E.M., Baird, J.G. and Nahorski, S.R., Different mechanisms of Ca^{2+} entry induced by depolarization and muscarinic receptor stimulation in SH-SY5Y human neuroblastoma cells, 263
- Lang, R.E., see McCabe, J.T., 325
- Lauber, A.H., Romano, G.J., Mobbs, C.V., Howells, R.D. and Pfaff, D.W., Estradiol induction of proenkephalin messenger RNA in hypothalamus: dose-response and relation to reproductive behavior in the female rat, 47
- Lee, B.J., Kim, K. and Cho, W.K., Activation of intracellular pathways with forskolin and phorbol ester increases LHRH mRNA level in the rat hypothalamus superfused in vitro, 185
- Lehmann, E., see McCabe, J.T., 325
- Levy, R.B., see Cray, C., 9
- Lewis, E.J., see Fader, D., 25
- Li, S.J., Jiang, H.K., Stachowiak, M.S., Hudson, P.M., Owyang, V., Nanry, K., Tilson, H.A. and Hong, J.S., Influence of nigrostriatal dopaminergic tone on the biosynthesis of dynorphin and enkephalin in rat striatum, 219
- Liu, W.-K., see Gubits, R.M., 275
- Llorens-Cortes, C., Van Amsterdam, J.G.C., Giros, B., Quach, T.T. and Schwartz, J.C., Enkephalin biosynthesis and release in mouse striatum are inhibited by GABA receptor stimulation: compared changes in preproenkephalin mRNA and Tyr-Gly-Gly levels, 227
- Mack, K., Day, M., Milbrandt, J. and Gottlieb, D.E., Localization of the NGFI-A protein in the rat brain, 177
- Malek, T.R., see Cray, C., 9
- Malherbe, P., Draguhn, A., Multhaup, G., Beyreuther, K. and Möhler, H., GABA_A-receptor expressed from rat brain α - and β -subunit cDNAs displays potentiation by benzodiazepine receptor ligands, 199
- Mason, S.E., see Jefferey, K.J., 267
- Maul, G.G., see Reddy, U.R., 137
- McCabe, J.T., Lehmann, E., Chastrette, N., Hünze, J., Lang, R.E., Ganten, D. and Pfaff, D.W., Detection of vasopressin mRNA in the neurointermediate lobe of the rat pituitary, 325
- Merriam, G.R., see Bohler Jr., H.C.L., 259
- Micevych, P.E., see Popper, P., 159
- Milbrandt, J., see Mack, K., 177
- Mobbs, C.V., see Lauber, A.H., 47
- Morgan, J.I., see Hall, A.K., 129
- Mullins, J.J., see Ratty, A.K., 355
- Multhaup, G., see Malherbe, P., 199
- Möhler, H., see Malherbe, P., 199
- Nahorski, S.R., see Lambert, D.G., 263
- Nanry, K., see Li, S.J., 219
- Neve, R.L., see Benowitz, L.I., 17
- Nowak Jr., T.S., see Blake, M.J., 89
- O'Brien, J., see Fraser, S.P., 331
- O'Malley, K.L., see Coker III, G.T., 93
- Ohga, N., see Yamamoto, J., 105
- Okamoto, K., see Sekiguchi, M., 301
- Owyang, V., see Li, S.J., 219
- Pfaff, D.W., see Lauber, A.H., 47
- Pfaff, D.W., see McCabe, J.T., 325
- Phillips, L.L. and Steward, O., Increases in mRNA for cytoskeletal proteins in the denervated neuropil of the dentate gyrus: an in situ hybridization study using riboprobes for β -actin and β -tubulin, 249
- Popko, B., see Stahl, N., 209
- Popper, P. and Micevych, P.E., Steroid regulation of calcitonin gene-related peptide mRNA expression in motoneurons of the spinal nucleus of the bulbocavernosus, 159
- Quach, T.T., see Duchemin, A.-M., 235
- Quach, T.T., see Llorens-Cortes, C., 227
- Quadri, S.K., see Voogt, J.L., 55
- Ratty, A.K., Fitzgerald, L.W., Titeler, M., Glick, S.D., Mullins, J.J. and Gross, K.W., Circling behavior exhibited by a transgenic insertional mutant, 355
- Reddy, U.R., Venkatakrishnan, G., Maul, G.G., Roy, A.K. and Ross, A.H., Transient expression of full-length and truncated forms of the human nerve growth factor receptor, 137
- Redman, R.S. and Berry, R.W., α -Bag cell peptide inhibits bag cell adenylate cyclase via a GTP-dependent mechanism, 99
- Rhoten, W.B., see Iacopino, A.M., 283
- Rodriguez, W.R., see Benowitz, L.I., 17
- Romano, G.J., see Lauber, A.H., 47
- Ross, A.H., see Reddy, U.R., 137
- Roy, A.K., see Reddy, U.R., 137
- Rubin, B.S., see Bohler Jr., H.C.L., 259
- Sabban, E.L., see Kilbourne, E.J., 121
- Sagar, S.M., see Hisanaga, K., 69
- Sakai, Y., see Sekiguchi, M., 301
- Sakuta, H., see Sekiguchi, M., 301
- Samanin, R., see Bendotti, C., 343
- Schotland, S., see Walker, P.D., 113
- Schrier, B.K., see Duchemin, A.-M., 235
- Schwartz, J.C., see Llorens-Cortes, C., 227
- Sekiguchi, M., Sakuta, H., Okamoto, K. and Sakai, Y., GABA_B receptors expressed in *Xenopus* oocytes by guinea pig cerebral mRNA are functionally coupled with Ca^{2+} -dependent Cl^- channels and with K^+ channels, through GTP-binding proteins, 301
- Senba, E., Simmons, D.M., Wada, E., Wada, K. and Swanson, L.W., RNA levels of neuronal nicotinic acetylcholine receptor subunits are differentially regulated in axotomized facial motoneurons: an in situ hybridization study, 349
- Servadio, A., see Bendotti, C., 343
- Sharp, F.R., see Hisanaga, K., 69
- Silman, I., see Eichler, J., 213
- Simmons, D.M., see Senba, E., 349
- Somers, D.L. and Beckstead, R.M., Striatal preprotachykinin and preproenkephalin mRNA levels and the levels of nigral substance P and pallidal Met⁵-enkephalin depend on corticostriatal axons that use the excitatory amino acid neurotransmitters aspartate and glutamate: quantitative radioimmunocytochemical and in situ hybridization evidence, 143
- Stachowiak, M.S., see Li, S.J., 219
- Stahl, N., Harry, J. and Popko, B., Quantitative analysis of myelin protein gene expression during development in the rat sciatic nerve, 209
- Steward, O., see Phillips, L.L., 249
- Stone, D.N., Wessel, T., Joh, T.H. and Baker, H., Decrease in tyrosine hydroxylase, but not aromatic L-amino acid decarboxylase, messenger RNA in rat olfactory bulb following neonatal, unilateral odor deprivation, 291
- Studelska, D., see Coker III, G.T., 93
- Sutin, E.L. and Jacobowitz, D.M., Detection of CCK mRNA in the motor nucleus of the rat trigeminal nerve with in situ hybridization histochemistry, 63
- Swanson, L.W., see Senba, E., 349
- Swanson, R.A., see Hisanaga, K., 69
- Takai, Y., see Yamamoto, J., 105
- Tilson, H.A., see Li, S.J., 219
- Titeler, M., see Ratty, A.K., 355
- Trembleau, A., Calas, A. and Fèvre-Montange, M., Ultrastructural localization of oxytocin mRNA in the rat hypothalamus by in situ hybridization using a synthetic oligonucleotide, 37
- Ueda, T., see Yamamoto, J., 105
- Umbach, J.A., Grasso, A. and Gundersen, C.B., α -Latrotoxin triggers an increase of ionized calcium in *Xenopus* oocytes injected with rat brain mRNA, 31
- Usherwood, P.N.R., see Fraser, S.P., 331
- Van Amsterdam, J.G.C., see Llorens-Cortes, C., 227
- Vaudry, H., see Bunel, D.T., 167
- Venkatakrishnan, G., see Reddy, U.R., 137
- Voogt, J.L., Arbogast, L.A., Quadri, S.K. and Andrews, G., Tyrosine hydroxylase messenger RNA in the hypothalamus, substantia nigra and adrenal medulla of old female rats, 55
- Wada, E., see Senba, E., 349
- Wada, K., see Senba, E., 349
- Walker, P.D., Schotland, S., Hart, R.P. and Jonakait, G.M., Tryptophan hydroxylase inhibition increases preprotachykinin mRNA in developing and adult medullary raphe nuclei, 113
- Weber, R., see Bohler Jr., H.C.L., 259
- Wessel, T., see Stone, D.N., 291
- Whitham, E.M., see Lambert, D.G., 263
- Wollack, J.B., see Gubits, R.M., 275
- Wyatt, R.J., see Duchemin, A.-M., 235
- Wyborski, R.J., Bond, R.W. and Gottlieb, D.I., Characterization of a cDNA coding for rat glutamic acid decarboxylase, 193
- Yamamoto, J., Kikuchi, A., Ueda, T., Ohga, N. and Takai, Y., A GTPase-activating protein for ρB p20, a ras p21-like GTP-binding protein — partial purification, characterization and subcellular distribution in rat brain, 105
- Young, J.M., see Crawford, M.L.A., 181
- Yu, H., see Gubits, R.M., 275
- Zoeller, R.T., see Bohler Jr., H.C.L., 259

